WY 2006-2014 Resident Mother's Tobacco Use By Trimester and Mother's Age¹

Tobacco Use During 1st Trimester

Tobacco ose During 1					111111620	.CI		
Year	15-19 ²		20-29		>30		Total	
	Number	Percent ³	Number	Percent ³	Number	Percent ³	Number	Percent ³
2006	237	28%	1,052	22%	209	11%	1,498	20%
2007	266	29%	1,013	21%	240	12%	1,519	19%
2008	221	25%	993	20%	215	10%	1,429	18%
2009	236	29%	934	19%	233	11%	1,403	18%
2010	188	26%	847	18%	247	11%	1,282	17%
2011	167	27%	847	19%	225	10%	1,239	17%
2012	171	28%	846	19%	234	10%	1,251	17%
2013	130	24%	844	18%	233	9%	1,207	16%
2014	136	25%	830	18%	250	10%	1,216	16%

Tobacco Use During 2nd Trimester

Year	15-19 ²		20-29		>30		Total	
	Number	Percent ³	Number	Percent ³	Number	Percent ³	Number	Percent ³
2006	192	23%	907	19%	183	10%	1,282	17%
2007	215	23%	847	17%	210	10%	1,272	16%
2008	174	20%	815	16%	179	9%	1,168	15%
2009	182	22%	784	16%	207	9%	1,173	15%
2010	150	21%	706	15%	223	10%	1,079	14%
2011	136	22%	702	16%	185	8%	1,023	14%
2012	123	20%	721	16%	206	9%	1,050	14%
2013	111	21%	690	15%	196	8%	997	13%
2014	103	19%	701	15%	219	9%	1,023	13%

Tobacco Use During 3rd Trimester

Year	15-19 ²		20-29		>30		Total	
	Number	Percent ³	Number	Percent ³	Number	Percent ³	Number	Percent ³
2006	187	22%	881	18%	175	9%	1,243	16%
2007	202	22%	824	17%	203	10%	1,229	16%
2008	164	19%	809	16%	182	9%	1,155	14%
2009	164	20%	728	15%	202	9%	1,094	14%
2010	139	19%	677	15%	216	10%	1,032	14%
2011	123	20%	657	15%	183	8%	963	13%
2012	111	18%	675	15%	191	8%	977	13%
2013	107	20%	664	14%	183	7%	954	13%
2014	96	18%	658	14%	208	8%	962	13%

Note 1: Data is self-reported by mother at time of birth.

Note 2: National data reports teens as those aged 15-19; however, births to teens younger than 15 did occur but are small numbers and not reported.

Note 3: Percentages are the number of births for each age category. Percentages are rounded an may not add to 100% due to rounding error.